



Advanced Geomatics

<http://publish.mersin.edu.tr/index.php/geomatics/index>

e-ISSN: 2791-8637



Spatio-Temporal Analysis of Climate Change in India: a Theoretical Perspective

Rajaram Patil¹, Moushumi Datta²¹University of Mumbai, A. And C. College Phondaghat, Head Department of Geography, Sindhudurg, India²University of Mumbai, N. K. College, Malad, Associate Professor in Geography & Vice Principal, Mumbai, India

Keywords

Climate change,
Human life,
Agriculture,
Urban areas,
Health.

ABSTRACT

Climate Change has affected human activities directly and indirectly. There have been several causes and impacts of climate change. Due to climate change, there have been changes in the pattern of rainfall, rise in temperatures, evaporation, and salinization of sources of water due to rising sea levels. Glacial melting is increasing year by year. Climate change is due to the observable but micro level alterations in the Earth's orbit that are responsible for changing the amount of solar energy the planet receives. Satellites orbiting around Earth and other related technological advances have given a helping hand to the scientists to be able to capture remotely sensed data so that the planet can be studied from all the angles and aspects. Though climate change is a global concern, its effects are being experienced all over the globe but, at varying degree. It will have negative impacts on agriculture, supply of water, quality of air, coastal areas and health of people. India is the second largest country in terms of population and heavily depends on the various sectors like agriculture, fisheries, and forests which are sensitive to changes in climate. It is, therefore, bound to face the worst adverse impacts of climate change. Indirectly, climate change is disrupting global economies and is adversely affecting all forms of life, costing a lot since a long time and will continue to do so if strict actions are not taken to control the same. The present paper tries to enumerate the impacts of climate change in India.

1. INTRODUCTION

In different parts of the world, nomadic human tribes settled in Nile, Tigris, Euphrates, and Ganga etc. river valleys. They constructed for survival their houses in river valleys. Culture & civilizations developed in this region. Traditionally in the most of the developing and under developing countries, female population highly engaged in agriculture sector from cultivation to harvesting. Agriculture depends entirely on the environment for its survival & growth. All plants have certain basic requirements related to temperature, humidity conditions, soil etc.

The World Bank suggests that the districts that fall in central India show maximum vulnerability to changes in

climate as they lack the required infrastructure and depend on agriculture on a very large scale. The districts in Vidarbha region of Maharashtra state are especially vulnerable to the damages caused by climate change. A major source for the decline in income of the farmers has been the changes in the climate. Increased temperature and disturbed precipitation is found to be damaging the crop yields and, consequently, the wealth of the farmers. Industrialization induced climate change, is the major cause of global warming and changing patterns of rainfall. Also, according to the estimation of the World Bank, unattended climate change would cause the Indian average temperature to rise to 29.1°C in the next few decades. As the aspect of changing climate becomes more intense, it will affect several parts of India extremely.

*Corresponding Author

*(drrajaram75@gmail.com) ORCID ID 0000-0003-3377-5307
(moushumi@nkc.ac.in) ORCID ID 0000-0002-0843-6613

Cite this;

Patil, R. & Datta, M. (2022). Spatio-Temporal Analysis of Climate Change in India: a Theoretical Perspective. *Advanced Geomatics*, 2(1), 07-13.

When the average temperature in 2009-18 to the that in 1950-80 are compared, it is found that some pockets have already been affected by climate change by becoming hotter than before. In several parts of states like Rajasthan, Gujarat, Tamil Nadu, Kerala, and the North-East, it is observed that, there has been a rise of nearly 1° C in the average temperature during the last decade. It is higher than the historical average in the 1950-80 period.

Natural and manmade activities dominants on the Earth surface. But climate change is a sudden and continuous global challenge. It has occurring long-term consequences for the development of all countries. Types of various pollutions, melting of ice in high altitude and Polar Regions, increasing sea levels of coastal areas, droughts and floods these problems created due to the climate change. Due to natural consequences of the influence of physical, cultural, technological and economic factors, agricultural land use and cropping patterns are changing from time to time. Climate change is general phenomena and important and facing environmental challenges.

Changes in climate alhve always been harmful to man. An increase of 0.3 - 0.6 °C is observed in the he average surface temperature of the globe since the several centuries. The rise in temperature may be minimal, but, it can be disastrous with unrepairable impacts. There are noticeable impacts of changing climate which occur in the form of melting of glaciers, forest fires, changing rainfall patterns, rising of sea levels, coastal cities under water level, floods, and droughts. Tsunami (2004), Uttarakhand flash floods (2013), Kashmir floods (2014), Kerala flood (2018 & 2019) and Krishna River Basin floods (2019) are some examples in various parts of India. India has been able to create a stable platform to discuss and bring in better cooperation between the nations on issue related to climate through its pledge for Paris Agreement. Also, India is an example by committing to bring down its emission intensity of gross domestic product (GDP) by 33-35% of 2005 levels by 2030.

2. METHOD

In the present study, the attempt has been made to assess the Spatio-Temporal analysis of Climate Change in India. This research paper is totally based on secondary data source. Climate change data collected from various articles, books, journals, reports and other related material published online and offline. The data contains the information such as mean temeperature, average rainfall, agirculture information, diseasas, urbnisation etc. The collected data are processed. cartographic technique, statistical and computer techniques used for preparation of graph.

2.1. Research objectives

- To understand the concept of climate change
- To study the major causes of climate change
- To administer the impact of climate change in India

2.2. Area of Study

India is a country in South Asia. It comprises of twenty-nine states and eight union territories. It's population stands second in the world after China. Its latitudinal extension is between 68° and 96° East and longitudinal extension is between 8° and 36° North approximately. It is a major developing country in the world and is the largest democracy too. It is highly agrarian in nature due to its fertile soil and favourable climatic conditions. It is however now being affected by changes in climate making it a matter of concern. Impact of climate change occurred on various condition is likely to have affected directly on agricultural food production and productivity, irrigation facilities, buildings and cities at coasts, human health, energy sources and security, etc. The major issue of maximum importance to developing and under developing countries is minimize the vulnerability of their natural, environmental and socio-economic condition. Natural hazards, like dry and wet droughts and floods in the plains threaten dangerous the livelihood of many people who depends on agriculture for most of their daily basic importance needs. External geographical events on the earth surface such as many types of cyclones, various droughts and floods, cold and heat waves, forest fires, landslips in the mountainous areas etc. are influenced frequently adversely on global economy.




Figure 1. Location of India with States

2.2.1. Factors Leading to Climate Change Greenhouse Gases (GHGs)

Major source of climate change is greenhouse effect. The earth's surface warms due to the energy received from the Sun. Most (90 %) of the sun's insolation is absorbed by these gases and radiated back towards the surface. Out of the total energy passing the atmosphere, some of it gets scattered and only some of it gets reflected into the atmosphere from the surface of the Earth. Gases like CO₂, methane, and Nox and water vapor, comprise less than 1% of the atmosphere. They are called 'greenhouse gases'. Human activities like decomposition of wastes in land fields, agriculture and rice cultivation and release of carbon dioxide during burning of fuels as coal, oil, and natural gas also lead to an increase in greenhouse gases. The climate of India is diversified.

Every state in India has its own characteristics. India is one of the leading economies in Asia. India is one of the major agrarian economies in Asia. India has a tropical climate. There are three seasons of summer monsoon and winter in India. The climate is different in each season, so different crops are produced in each state according to the season. In some states, tea, sugarcane and banana are perennial crops grown. Rainfall distribution in India is also uneven. Therefore, crop models are shown according to rainfall and irrigation facilities. Along the east and west coasts of India is a kingdom of rice-coconut orchards. Wheat mustard is grown in Punjab, Haryana and Uttar Pradesh. In Central India, cereals are produced from agriculture. Grapes, sugarcane, cotton, sorghum and pulses are generally important crops in Maharashtra and Karnataka. There are tea and coffee plantations in Assam, Meghalaya, Karnataka and West Bengal. In the hilly regions of eastern India, paddy is cultivated on hilly terraces. At the same time fruit processing industry is also important in India. The industry of making secondary products from seasonally produced fruits is found in all the regions of India.

Human Activities

Most of the population in India is engaged in agriculture. The agro based activities, various land-uses, etc., lead to rise in the levels of methane and nitrous oxide. Industries produce greenhouse gases like chlorofluorocarbons, whereas automobiles lead to ozone generation. According to 5th Report of IPCC, approximately 95 % human activities over the past 50 years led to global warming. Industrialization and urbanization are major factors in the process.

Emission of CO₂

Volcanic eruption is one of the most-deadly natural disasters on the Earth's surface. The eruption releases carbon dioxide (CO₂) in large quantities. It is also emitted through natural processes such as respiration and manmade activities like burning of fossil fuels. This gas directly impacts the environment and human beings.

Ocean currents

71% of the Earth's surface comprises of oceans and water bodies. Hot and cold ocean currents flow along all coastlines. The vast water bodies absorb the sun's insolation twice the atmosphere. Therefore, the oceans form a major component of the climate system.

Water vapour

Atmosphere is getting heated due to solar energy, because of which the amount of water vapor is increasing in the atmosphere day by day. Water vapor rises as the temperature of the Earth's atmosphere rises leading to precipitation. This cycle is very important for the smooth functioning of the ecology on globe.

3. DISCUSSION AND RESULTS

According to scientists, global temperature will continue increasing for few decades, due to the greenhouse gases emitted due to human activities.

Impact of Climate Change

From last few decades climate change in the world is caused by various types of economic activities. Day by day economic activities are increasing all parts of the world. When temperature rises, different changes occur on the Earth surface. Following are the some effects of climate change.

1. Due to the climate problems temperature can increased. Temperature directly affected in the fields of urban area, ice field region, deserts, coasts etc.
2. Dry and wet floods, droughts, cloudburst, cyclones etc. natural disasters occurs due to climate change.
3. Glaciers in the polar and subpolar regions are melting and levels of the sea is increasing.
4. Primary and secondary human economic activities are increased from last century, and these economic activities were released large number of carbon dioxide and other gases in the atmosphere.
5. Most of the gases in the environment come from burning fossil fuels and wood to produce energy.
6. greenhouse gases affected on human health, animal, agriculture and various types of Ecosystems.

Impact of Climate Change on Agriculture

The increasing population has resulted in scarcity of natural resources. Climate change has affected crop productivity due to alterations in temperature and rainfall. It has also caused changes in soil quality due to which the yield of cereals will decline in India. This scenario may lead to issues with food security and reduce dependancy on agriculture. In the field of agriculture, the future food security of people will influencing due to climate change. The climate sensitivity of agriculture is uncertain, as there is regional variation in rainfall, temperature, crops and cropping systems, soils and management practices. Due to the uneven and unseasonal distribution of rainfall in Maharashtra state in the year 199-98 number of crops losses. The northern and eastern part of Indian states experienced summer heat waves during the year 2003, and whereas northern part of Himalayan region was cold wave. Therefore production and productivity of the cash crops and local vegetables were loss. In the year 2004 due to high temperature food grain crops vegetables affected. Heavy rains again in September in Andhra Pradesh, Karnataka and Kerala led to floods and thus the year 2007 was declared as the flood year in India. A huge crop loss was noticed in several states of the Country due to floods in kharif, 2007.

Impact of Climate Change on Atmosphere

Climate change may affect health of human beings as it increases ground-level ozone and the particulate matter causing air pollution. Ground-level ozone results in several health issues- diminished lung function, increased hospitalization and fatal incidences of asthma and premature deaths. It also causes extreme heat in the atmosphere which can lead to respiratory disorders.

Impact of Climate Change on Urbanization

India’s urban system is the second largest on globe. It comprises of 310 million people spread across 5161 urban spaces in 2005. It is surprising to know that 5100 urban centers comprise roughly 30% of the total Indian population which is expected to rise to 40% by 2030. It is projected that the population of 70 urban spaces will rise to 1 million inhabitants by 2025.

Impact of Climate Change on Health

There are weak and low infrastructure facilities in developing countries. Climate change affects maximum particularly children, pregnant women and old people. It is expected that between 2030 and 2050, changing climate change may lead to death of 2,50,000 people every year due to problems like malnutrition, malaria, diarrhea, and heat stroke. The following are the major impacts on human health.

It has resulted in the loss of glaciers, rise in sea level, huge floods, droughts, shifting of plant and animal ranges and a change in the pattern of floral reproduction and heat waves. Following are the impacts of climate change on environment and human life.

Table 1. State level annual and seasonal mean temperature trends based upon 282 surface meteorological stations for 1951-2010. Increasing (+) and decreasing (-) trends significant at 95% level of significance are shown in bold and marked with “*” sign.

State	Mean Temperature Trends in Degree Celsius Per Year				
	Annual	Winter	Summer	Monsoon	Post monsoon
Andaman and Nicobar Islands	+0.01*	+0.01*	+0.01*	+0.01*	+0.01*
Andhra Pradesh	+0.01*	+0.01*	+0.01*	+0.01*	+0.01*
Arunachal Pradesh	+0.01*	+0.02*	+0.01	+0.01	+0.02*
Assam	+0.01*	+0.01*	No trend	+0.01*	+0.02*
Bihar	+0.01*	No trend	No trend	+0.01*	+0.02*
Chhattisgarh	No trend	No trend	-0.01	No trend	+0.01
Delhi	+0.01*	+0.01	+0.01*	+0.01	+0.02*
Goa	+0.02*	+0.02*	+0.02*	+0.02*	+0.03*
Gujarat	+0.01*	+0.02*	+0.01	+0.01*	+0.02*
Haryana	No trend	-0.01	No trend	-0.01*	+0.01
Himachal Pradesh	+0.02*	+0.02*	+0.01	+0.03*	+0.02*
Jammu and Kashmir	-0.01	No trend	-0.02	-0.02	-0.02*
Jharkhand	+0.01*	+0.01	No trend	No trend	+0.02*
Karnataka	+0.01*	+0.01*	No trend	+0.01*	+0.01*
Kerala	+0.01*	+0.01*	+0.01*	+0.01*	+0.01*
Lakshadweep	+0.01*	+0.02*	+0.02*	+0.01*	+0.01*
Madhya Pradesh	+0.01*	No trend	No trend	No trend	+0.03*
Maharashtra	+0.01*	No trend	+0.01*	+0.01	+0.01*
Manipur	+0.03*	+0.04*	+0.02*	+0.02*	+0.03*
Meghalaya	No trend	+0.01*	-0.01	No trend	+0.02*
Mizoram	+0.01*	+0.02*	No trend	+0.02*	+0.02*
Orissa	No trend	No trend	No trend	-0.01*	+0.01
Punjab	-0.01*	-0.02*	-0.01	-0.01*	No trend
Rajasthan	+0.01*	+0.01*	No trend	+0.01	+0.02*
Sikkim	+0.05*	+0.05*	+0.02*	+0.05*	+0.04*
Tamil Nadu	+0.02*	+0.03*	+0.03*	+0.02*	+0.02*
Tripura	+0.01*	+0.01*	-0.01*	+0.01*	+0.03*
Uttar Pradesh	No trend	+0.01*	-0.01	No trend	+0.01*
Uttarakhand	-0.01	+0.01	-0.02	-0.02*	+0.01
West Bengal	No trend	No trend	-0.01*	+0.01*	+0.01*

Source: Rathore, L., Attri, S. And Jaswal, A. 2013. State Level Climate Change Trends in India, Gol.

It is observed from table 01 that the annual mean temperatures of states of India have increased considerably in all the states. Only Chhattisgarh, Haryana, Jammu and Kashmir, Meghalaya, Orissa, Punjab, Uttar Pradesh, Uttarakhand and West Bengal do not show an increase. Sikkim (+0.05 o C/year) tops the chart followed by Manipur (+0.03 o C/year) and the least has been observed in Punjab (-0.01 o C/year). The major reasons for the change is the increase of carbon in the atmosphere and other greenhouse gases.

Table 02 represents that from 1901 to 2010, the highest fluctuations are observed in Meghalaya (+14.68 mm/year) and Andaman and Nicobar (-7.77 mm/year). The driving factors for changes in rainfall may include changes in wind direction and wind speed, occurrences of cyclones, changes in temperature, rate of evaporation and alterations in the land use of the areas. The changing trend implies that the states with high differences in average rainfall have undergone the above conditions and will continue to do so.

Table 2. State level annual and seasonal rainfall trends based upon 1451 rainfall stations for 1951-2010. Increasing (+) and decreasing (-) trends significant at 95% level of significance are shown in bold and marked with “*” sign

State	Mean Temperature Trends in Degree Celsius Per Year				
	Annual	Winter	Summer	Monsoon	Post monsoon
Andaman and Nicobar Islands	-7.77*	-2.70*	-0.51	-2.93	-1.35
Andhra Pradesh	+1.31	+0.29	+0.35	-0.14	+0.46
Arunachal Pradesh	-3.63	-0.10	No trend	-2.30	-0.83
Assam	-2.96	0.08	-0.56	-2.19	-0.75
Bihar	+1.41	-0.06	+0.59*	+1.11	+0.11
Chhattisgarh	-2.03	+0.02	+0.04	-2.38	+0.06
Delhi	-0.51	+0.16	+0.40*	-0.32	-0.20
Goa	-3.82	No trend	-0.31	-2.61	+0.04
Gujarat	+1.41	No trend	-0.03	+1.27	-0.02
Haryana	+0.45	+0.07	+0.39*	-0.01	-0.23*
Himachal Pradesh	-3.26	-0.18	+0.31	-2.85	-0.21
Jammu and Kashmir	+2.13	+1.88*	-1.07	-0.16	-0.37
Jharkhand	+0.84	-0.13	+0.43	+0.44	+0.03
Karnataka	-0.05	+0.10	-0.41	+0.61	+0.14
Kerala	-1.43	-0.40	-1.15	-2.42	+1.68
Lakshadweep	+3.22	-0.33	-0.44	+1.73	+0.83
Madhya Pradesh	-1.81	-0.06	No trend	-1.74	+0.03
Maharashtra	-0.71	+0.04	0.15	-0.29	-0.05
Manipur	+1.94	+0.10	+1.63	-0.89	+0.11
Meghalaya	14.68	+0.52*	+2.25	+9.27	+2.04
Mizoram	+0.33	-0.31	+2.80	+7.71	-6.19
Orissa	+0.69	+0.06	+0.65*	-0.23	-0.83
Punjab	-2.41	+0.09	+0.22	-1.49	-0.13
Rajasthan	+0.04	+0.02	+0.17*	-0.09	-0.04
Sikkim	-3.12	-0.12	-0.83	-1.36	-0.11
Tamil Nadu	+0.80	-0.16	-0.47	-1.35*	+1.49
Tripura	+0.77	+0.11	+1.73	-1.11	-0.55
Uttar Pradesh	-4.42*	-0.22	+0.02	-3.52*	-0.33
Uttarakhand	-1.07	-0.01	+0.86	-1.45	-0.63
West Bengal	+3.63*	+0.16	+1.34*	+1.45	+0.19

Source: Rathore, L., Attri, S. And Jaswal, A. 2013. State Level Climate Change Trends in India, Gol.

Water borne diseases

Such diseases are vulnerable to climate change and represent variations according to changes in the season. Also, diarrheal diseases are another common occurrences during the monsoon season. Increased variability of rainfall as a result of climate change affect freshwater sources on a large scale globally. It is observed that scarcity of water has already affected 40% people all over the Earth. Lack of clean water disturbs the hygiene and causes diarrheal diseases killing around 2.2 million people per year.

Flood borne diseases

Floods have become common all over the globe which contaminates several freshwater resources and increases the risk of water-borne diseases. If the contamination is due to animal waste, it leads to epidemics of leptospirosis, rotavirus and cholera in the affected areas. Absence of basic sanitation is a major factor in increasing water borne diseases.

Impact of Climate Change on Migration

Sudden changes in climate lead to migration of people as they become victims of droughts or floods in the rural areas. This leads to over crowding of the urban spaces and related impacts are experienced. In India, a large chunk of population is estimated to be affected by issues related to global warming in the near future. The major reason being the flooding of major rivers in certain parts and drying of the same in certain parts. This will lead to forced outmigration of people and cause haphazard development of urban areas with proliferation of larger slums with poor people.

Impact of Climate Change on Poor and the Vulnerable People

Climate and weather have a direct and indirect relationship with mankind. Vulnerable and poor populations are mostly affected by climate change due to

higher food prices, loss of income, water scarcity, declining health and forced outmigration. The slum dwellers and other migrants and poor who generally live in vulnerable areas like the riverbeds, flood plains, hill slopes will be extremely affected.

Impact of Climate Change on Food Supply

Temperature is the main component of climate change. Rising temperature and uneven precipitation are responsible to decrease the production of staple crops. Ultimately it will increase the prevalence of malnutrition and under nutrition in most of the country.

Impact of Climate Change on Transportation

Transportation is very important to human life. Due to disasters like storms, floods, cyclones, coastal flooding, etc., a great damage is caused to the infrastructure of the affected area. The following graph shows that the carbon emission in India has always remained very high except the current year 2020 which may be due to the Coronavirus driven lockdown which has reduced the transportation and industrial activities to the minimum in the country. This is a good sign, however, as the activities will resume, the emission will increase again leading to climate change related problems.




Figure 1. India's CO2 emissions have fallen for the first time in four decades (Source: <https://www.carbonbrief.org/analysis-indias-co2-emissions-fall-for-first-time-in-four-decades-amid-coronavirus>)

Impact of Climate Change on Economy:

The World Bank estimates a loss of about 2% in National Gross Domestic Product of the country. It is a result of shortage of clean water and the damage caused to the sectors like agriculture and fisheries, tourism and energy. Therefore, it can be said that when the health is affected, the economy is also affected. For example, temperature and workable days are indirectly correlated to each other. Hence, increasing temperature will negatively affect the economy.

Impact of Climate Change on Coastal Area:

According to Aggarwal and Lal, the Indian coast is predicted to undergo a rise in sea level between 30 and 80 cm over the next century. If timely measures are not taken, then, the people living in coastal areas may get affected badly. The coastal cities of Mumbai, Kolkata and Chennai are at an average elevation of 2-10 meters and lie in the Low Elevation Coastal Zone (LECZ) category. Hence, they are most likely to suffer from flooding.

CONCLUSION

From the above, it can be concluded that, in the Indian continent, there has been an increase in the annual mean temperature during the last century. The predicted climate change reveals that the country will experience disastrous events that will enormously impact human life. It must be agreed that the climate is changing and it will surely lead to detrimental impacts in the entire country, continent and the world at large. Therefore, thinking about measures for mitigation and adaptation, both is equally important. Same is the case with developed nations who are trying hard to cope with the challenges posed by changing climate. However, with a very large and diverse population, India needs to put more efforts to counter the impacts. Climate is dominant on the Earth, where the man practices his agriculture from ancient period. Now a days occurs everywhere climate change phenomena. Its affected in the form of uneven distribution of rainfall and rising temperature. Climate is major component for the cultivation of all types of crops. Sudden climatic changes directly affected on the production of crops.

4. RECOMMENDATIONS

In India, about 70 per cent of the population is engaged in agriculture, agricultural labor and all kinds of agricultural occupations. That is why the Indian economy is said to be agrarian. In short, Indian agriculture is said to be the backbone of the Indian economy. According to tradition, people in India still practice agriculture in both traditional and modern ways. Some farmers farm to meet their food needs. Many farmers earn a living by doing commercial farming to meet their other needs. However, as Indian agriculture is depended particularly on monsoon, the effect of this climate on Indian agriculture is dominant. At the same time, in due to the development of co-operatives society's many states of India, have seen the flourishing of many agro based and other activities in agriculture. Co-operation is rooted in many of these states of India

Taking into consideration the increasingly changing climate, following are the recommendations to reduce the impact on human race-

- Boosting health care services
- Controlling the growth of vector
- Spreading awareness about health insurance
- Higher investment and greater research in climate change
- Undertaking health risk assessment studies
- Vulnerability mapping using GIS
- Establishment of baseline conditions
- Scenario modeling

Acknowledgement

The present study could not have been completed without the support of Prof. Dr. Mohamed Alkhuzamy Aziz, Dean of Social and Human Sciences, Galala University, Egypt & Principal Dr. Hemant Pednekar, Ex. Senate Member University of Mumbai and the infrastructure provided by respective institutions.

Author contributions

The authors contributed equally.

Conflicts of interest

There is no conflict of interest between the authors.

Statement of Research and Publication Ethics

Research and publication ethics were complied with in the study.

References

- Attri, S. D. & Tyagi, Ajit. (2010). Climate profile of India, Met Monograph No. Environment Meteorology-01, Government of India, Ministry of Earth Sciences, India Meteorological Department.
- Anupama, K. (2020). Climate Change and Its Impact On Indian Agriculture, THE KONKAN GEOGRAPHER, ISSN 2277 4858, VI. 24, pp 65-67
- De, U.S., Khole, M. & Dandekar, M. M. (2004). Natural hazards associated with meteorological extreme events. *Natural Hazards*, 31: 487-497. 21
- Green, M.S. et al. (1994). Excess winter-mortality from ischemic heart disease and stroke during colder and warmer years in Israel'. *European Journal of Public Health*, 4: 3-11.
- Holar, P. (2019). Impact of changes in rainfall pattern on agriculture in Haveri district of Karnataka-Geographical Analysis, THE KONKAN GEOGRAPHER, ISSN 2277 – 4858, VI. 22, pp 09-15
- Indian Meteorological Department (IMD). All India weekly weather report (Accessed on 17 August 2012) <http://www.imd.gov.in>. <http://www.imd.gov.in/section/nhac/dynamic/week.htmrk>.
- Kamble, D. K. (2015). Spatio-Temporal Analysis of Crop Combinations in Haveri District: A Geographical Analysis, THE KONKAN GEOGRAPHER, ISSN 2277 4858, VI. 2015
- Martens, P. & McMichael, A. J. (2002). Environmental change, climate, and health. Cambridge, UK, Cambridge University Press.
- Marland, G., Boden, T. A. & Andres, R. J. (2000). Global, regional, and national CO₂ emission trends: A compendium of data on global change. Oak Ridge, Tennessee, USA: Carbon Dioxide Information Analysis Center, Oak Ridge National Laboratory, U.S. Department of Energy.
- Moushumi, D. (2016). Analysis of Air Pollution in selected cities of Maharashtra, THE KONKAN GEOGRAPHER Journal, VI. No. 15 published by Konkani Geographers Association of India, PP 05-09
- Moushumi, D. (2020). Floods in India with special reference to Duars in West Bengal, THE KONKAN GEOGRAPHER Journal, VI. No. 24 published by Konkani Geographers Association of India, PP 19-22
- Pednekar, H. M. (2016). Emerging Geo Environmental Issues and Challenges in 21st Century, THE KONKAN GEOGRAPHER Journal, VI. No. 15 published by Konkani Geographers Association of India, PP 01-04

Pednekar, H. M. & Rajaram, P.(2013). Geography of Developed and Developing Countries, ISBN 978-93-83105-07-6 Sheth Publishing Mumbai.

Pednekar, H. M. & Rajarami P. (2014). Physical Geography of India and Agricultural Geography, ISBN 978-93-5142-886-2 Sheth Publishing Mumbai, pp. 68-91.

Rajaram, P. & Balaji, S. (2020). Agriculture Environment Population and Sustainable Development, ISBN- 978-81-946685-0-3, published by Jyotikiran Publication, Pune, pp.105-113

Shivram, T. & Rajaram, P. (2014). Agricultural Geography, ISBN 978-93-5142-886-2, Himalaya Publishing, Mumbai, pp. 01-12.

Sushma, R. (2017). Climate Change Strategies and Development, THE KONKAN GEOGRAPHER, ISSN 2277 4858, Vol. No. 18

Wilby, R. L. (2003). Past and projected trends in London's urban heat island. *Weather*, 58: 251-260



© Author(s) 2022.

This work is distributed under <https://creativecommons.org/licenses/by-sa/4.0/>